

Material Safety Data Sheet

Section 1. Chemical Product and Company Identification

Product name ZEP AID

Product use Aerosol Lubricant and Release Agent

Product code 0193

Date of issue 09/16/14 **Supersedes** 10/27/11

Emergency Telephone Numbers

For MSDS Information:

Technical Services Group Telephone (780) 453-8100 (Business Hours 8:00am - 5:00pm)

For Medical or Transportation Emergency

CANUTEC (24 Hours)

(613) 996-6666 - Call Collect

Prepared By

Technical Services Group 11627 178th Street Edmonton, Alberta T5S 1N6

Section 2. Hazards Identification

Emergency overview

CANCER HAZARD - CONTAINS MATERIAL WHICH CAN CAUSE CANCER.

Do not breathe vapor or mist. Contains material that may cause target organ damage, based on animal data. Contains material which can cause cancer. Risk of cancer depends on duration and level of exposure.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects Routes of Entry Absorbed through skin. Inhalation.

Eyes Irritating to eyes. Liquid in eye may cause irritation with possible damage if not rinsed

immediately.

Skin Causes skin irritation. Non-sensitizer to skin. Skin inflammation is characterized by itching,

scaling, reddening or, occasionally, blistering.

Inhalation Irritating to respiratory system. Can cause central nervous system (CNS) depression. Inhalation of

vapor/aerosol concentrations above the recommended exposure limits causes headaches,

drowsiness and nausea and may lead to unconsciousness or death. Prolonged repeated exposure

may cause chemical pneumontitis.

Ingestion Aspiration hazard if swallowed. Can enter lungs and cause damage.

Chronic effects Contains material which may cause damage to the following or

Contains material which may cause damage to the following organs: kidneys, heart (cardiac)

liver, peripheral nervous system, and central nervous system (CNS).

Defatting to the skin. Prolonged skin contact may cause dermatitis with drying and cracking of

skin.

Additional Information: See Toxicological Information (Section 11)

Section 3. Composition/Information on Ingredients

Name of Hazardous IngredientsCAS number% by WeightTRICHLOROETHYLENE; acetylene trichloride; 1-chloro-2,2-dichloroethylene79-01-660 - 100CARBON DIOXIDE124-38-91 - 5

Section 4. First Aid Measures

Eye Contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and

remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.

Skin Contact Flush affected skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least

10 minutes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation

develops.

Inhalation Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide

artificial respiration or oxygen by trained personnel. Get medical attention immediately.

Page: 1/4

Product code 0193 **Material Safety Data Sheet** Product Name ZEP AID

Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, keep head lower than hips to help prevent aspiration. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire Fighting Measures

Flash Point Not applicable. Flammable Limits Not determined.

Flammability Non-flammable. (CSMA)

Auto-ignition Temperature

Ingestion

Fire-Fighting Procedures In case of fire, use water spray (fog), foam or dry chemical. Fire-fighters should wear appropriate

protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece

operated in positive pressure mode.

Fire hazard In a fire or if heated, a pressure increase will occur and the container may burst. Bursting

aerosol containers may be propelled from a fire at high speed. Thermal decomposition of

product can produce toxic vapors of Chlorine., Hydrogen chloride (HCl). and

Phosgene gas.

Products of Combustion Decomposition products may include the following materials:

Phosgene gas. Hydrogen chloride (HCl). carbon oxides (CO, CO₂) carbonyl halides and Chlorine.

Explosion hazard Not available.

Section 6. Accidental Release Measures

Large spills are unlikely due to packaging. Stop leak if without risk. Move containers from spill area. Dilute

with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste

disposal container.

Section 7. Handling and Storage

Handling Put on appropriate personal protective equipment (see section 8). Do not get in eyes or on skin or clothing. Do not

> breathe vapor or mist. Do not ingest. Avoid breathing gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Pressurized container: protect from sunlight and do not expose to

temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not store above the following temperature: 49°C (120.2°F). Store away from direct sunlight in a dry, cool and well-**Storage**

ventilated area, away from incompatible materials (see section 10) and food and drink. Do not puncture or incinerate

container. Keep out of the reach of children.

Section 8. Exposure Controls/Personal Protection

Exposure limits Product name

Trichloroethylene ACGIH TLV (United States).

TWA: 10 ppm 8 hour(s). STEL: 25 ppm 15 minute(s). OSHA PEL (United States). TWA: 50 ppm 8 hour(s). STEL: 200 ppm 15 minute(s).

ACGIH TLV (United States). Carbon Dioxide

TWA: 5000 ppm 8 hour(s). STEL: 30000 ppm 15 minute(s).

Personal Protective Equipment (PPE)

Chemical splash goggles. Eyes Hands and Chemical-resistant gloves.

Body

Respiratory Use with adequate ventilation. Provide exhaust ventilation or other engineering

controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Wear appropriate respirator when ventilation is inadequate. Approved/certified respirator with organic vapor cartridge.

Section 9. Physical and Chemical Properties

Liquid. [Aerosol.] **Physical State** pН Not available. **Boiling Point** 87.2°C (189°F)

Specific Gravity

Solubility Insoluble in the following materials: cold water and

hot water.

11.3 (lbs/gal) **Freezing Point**

VOC (Consumer) 93.9%

Vapor Pressure 8 kPa (60 mm Hg)

Vapor Density Not determined.

Evaporation Rate 4.5 (butyl acetate = 1)

Color Clear. Colorless.

Odor Mild. Solvent-like.

Page: 2/4

Product code 0193 Material Safety Data Sheet Product Name ZEP AID

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Incompatibility Reactive or incompatible with the following materials: oxidizing materials, metals and alkalis.

Hazardous Polymerization Will not occur

produced.

Section 11. Toxicological Information

Carcinogenicity Contains material which can cause cancer. Risk of cancer depends on duration and level of exposure. Trichloroethylene - Classified 2A (Probable for human) by IARC; Group 2

(Reasonably Anticipated To Be Human Carcinogen) by NTP

Acute Toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------------------|---------|--------------|----------|
| trichloroethylene | LC50 Inhalation Vapor | Rat | 140700 mg/m3 | 1 hours |
| | LD50 Dermal | Rabbit | 10000 mg/kg | - |
| | LD50 Oral | Mouse | 2402 mg/kg | - |
| | LD50 Oral | Rat | 4920 mg/kg | - |
| | LD50 Oral | Rat | 4920 mg/kg | _ |

Section 12. Ecological Information

Environmental Effects

No known significant effects or critical hazards.

Aquatic Ecotoxicity

Not available.

Section 13. Disposal Considerations

Waste Information

Waste must be disposed of in accordance with applicable regulations. Consult your local or regional authorities for additional information.

Waste Stream Code: D040

Classification: - [Hazardous waste.]

Origin: - [RCRA waste.]

Section 14. Transport Information

| Regulatory information | UN number | Proper shipping name | Classes | PG* | Label | Additional information |
|------------------------|----------------|-------------------------|----------------|-----|-----------|--|
| TDG Classification | 1950 | Aerosols, non-flammable | 2.2 (6.1) | - | \$ | Explosive Limit and Limited Quantity Index |
| IMDG Class | Not available. | Not available. | Not available. | - | | - |
| IMDG Class | Not available. | Not available. | Not available. | - | v | - |

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment. Limited Quantity: Small quantities of controlled goods are not regulated as Dangerous Goods according to TDG regulations.

PG*: Packing group

Section 15. Regulatory Information

Canada

WHMIS (Canada) Class A: Compressed gas.

Class D-1B: Material causing immediate and serious toxic effects

(Toxic).

Class D-2A: Material causing other toxic effects (Very toxic).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Product code 0193 **Material Safety Data Sheet** Product Name ZEP AID

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.