

**ZEP BRAKE WASH AERO DZ**

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Material name : ZEP BRAKE WASH AERO DZ

Material number : 000000000000028701

**Manufacturer or supplier's details**

Company : Zep Inc.

Address : 350 Joe Frank Harris Parkway, SE  
Emerson, GA 30137

Telephone : 404-352-1680

**Emergency telephone numbers****For SDS Information** : Compliance Services 1-877-428-9937**For a Medical Emergency** : 877-541-2016 Toll Free - All Calls Recorded**For a Transportation Emergency** : CHEMTREC: 800-424-9300 - All Calls Recorded.  
In the District of Columbia 202-483-7616**Recommended use of the chemical and restrictions on use**

Recommended use : Vehicle Maintenance

**SECTION 2. HAZARDS IDENTIFICATION****Emergency Overview**

|            |                                     |
|------------|-------------------------------------|
| Appearance | Aerosol containing a compressed gas |
| Colour     | clear                               |
| Odour      | No data available                   |

**GHS Classification**Flammable aerosols : Category 1  
Gases under pressure : Compressed gas  
Skin irritation : Category 2  
Specific target organ toxicity - single exposure : Category 1  
Specific target organ toxicity - single exposure : Category 3 (Central nervous system)**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
H280 Contains gas under pressure; may explode if heated.  
H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.

**ZEP BRAKE WASH AERO DZ**

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

H370 Causes damage to organs.

## Precautionary statements

: **Prevention:**

P210 Keep away from heat/sparks/open flames/hot surfaces.  
No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Pressurized container: Do not pierce or burn, even after use.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
P307 + P311 IF exposed: Call a POISON CENTER or doctor/physician.  
P332 + P313 If skin irritation occurs: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.

**Storage:**

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

| Chemical name                           | CAS-No.    | Concentration [%] |
|-----------------------------------------|------------|-------------------|
| Naphtha (petroleum), hydrotreated light | 64742-49-0 | >= 70 - < 90      |
| ethanol                                 | 64-17-5    | >= 5 - < 10       |
| carbon dioxide                          | 124-38-9   | >= 5 - < 10       |
| heptane                                 | 142-82-5   | >= 3 - < 5        |
| methanol                                | 67-56-1    | >= 1 - < 3        |
| propan-2-ol                             | 67-63-0    | >= 1 - < 3        |

The exact percentages of disclosed substances are withheld as trade secrets.

**SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.

**ZEP BRAKE WASH AERO DZ**

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

|                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                             | Do not leave the victim unattended.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| If inhaled                                                  | : Consult a physician after significant exposure.<br>If unconscious, place in recovery position and seek medical advice.<br>Move to fresh air.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| In case of skin contact                                     | : If skin irritation persists, call a physician.<br>Wash off immediately with plenty of water for at least 15 minutes.<br>If on clothes, remove clothes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| In case of eye contact                                      | : Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.<br>If in eyes, rinse with water for 15 minutes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| If swallowed                                                | : Keep respiratory tract clear.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>DO NOT induce vomiting unless directed to do so by a physician or poison control center.<br>Take victim immediately to hospital.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Most important symptoms and effects, both acute and delayed | : Effects are immediate and delayed.<br>Symptoms may include irritation, redness, pain, and rash.<br>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.<br>Acute specific target organ toxicity effects will differ depending on mode of exposure (oral, dermal, and inhalation), the organs and systems affected, and any preexisting medical conditions. Symptoms may include respiratory difficulty, abdominal pain, headache, dizziness, drowsiness, vomiting, central nervous system depression, blurred vision, seizures, and unconsciousness - potentially life threatening.<br>Effects are dependent on exposure (dose, concentration, contact time).<br>Causes skin irritation.<br>May cause drowsiness or dizziness.<br>Causes damage to organs.<br>Review section 2 of SDS to see all potential hazards. |
| Notes to physician                                          | : Treat symptomatically. Symptoms may be delayed.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

**SECTION 5. FIREFIGHTING MEASURES**

|                                |                                                                                     |
|--------------------------------|-------------------------------------------------------------------------------------|
| Suitable extinguishing media   | : Carbon dioxide (CO2)<br>Alcohol-resistant foam<br>Dry chemical<br>Water spray jet |
| Unsuitable extinguishing media | : High volume water jet                                                             |

**ZEP BRAKE WASH AERO DZ**

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

|                                               |                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specific hazards during firefighting          | : Do not allow run-off from fire fighting to enter drains or water courses.                                                                                                                                                                                                                                                                                                     |
| Hazardous combustion products                 | : Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide<br>Smoke                                                                                                                                                                                                                                                                                                                 |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                                                                                                                                                                                                                                                       |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.<br>For safety reasons in case of fire, cans should be stored separately in closed containments.<br>Use a water spray to cool fully closed containers. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.                                                                                                                                                                                                                                                                                                        |

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

|                                                                     |                                                                                                                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Ensure adequate ventilation.<br>Remove all sources of ignition.<br>Evacuate personnel to safe areas.<br>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.                                                                                       |
| Environmental precautions                                           | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities.                                                                                                                                                   |
| Methods and materials for containment and cleaning up               | : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).<br>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). |

**SECTION 7. HANDLING AND STORAGE**

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling | : Take precautionary measures against static discharges.<br>Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Dispose of rinse water in accordance with local and national regulations.<br>Do not breathe vapours or spray mist. |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## ZEP BRAKE WASH AERO DZ

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

Always replace cap after use.

Conditions for safe storage : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.  
No smoking.  
Observe label precautions.  
Keep in a dry, cool and well-ventilated place.  
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

| Components     | CAS-No.  | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|----------------|----------|----------------------------------|---------------------------------------------------|-----------|
| ethanol        | 64-17-5  | TWA                              | 1,000 ppm                                         | ACGIH     |
|                |          | TWA                              | 1,000 ppm<br>1,900 mg/m <sup>3</sup>              | NIOSH REL |
|                |          | TWA                              | 1,000 ppm<br>1,900 mg/m <sup>3</sup>              | OSHA Z-1  |
|                |          | TWA                              | 1,000 ppm<br>1,900 mg/m <sup>3</sup>              | OSHA P0   |
|                |          | STEL                             | 1,000 ppm                                         | ACGIH     |
|                |          | PEL                              | 1,000 ppm<br>1,900 mg/m <sup>3</sup>              | CAL PEL   |
| carbon dioxide | 124-38-9 | TWA                              | 5,000 ppm                                         | ACGIH     |
|                |          | STEL                             | 30,000 ppm                                        | ACGIH     |
|                |          | TWA                              | 5,000 ppm<br>9,000 mg/m <sup>3</sup>              | NIOSH REL |
|                |          | ST                               | 30,000 ppm<br>54,000 mg/m <sup>3</sup>            | NIOSH REL |
|                |          | TWA                              | 5,000 ppm<br>9,000 mg/m <sup>3</sup>              | OSHA Z-1  |
|                |          | TWA                              | 10,000 ppm<br>18,000 mg/m <sup>3</sup>            | OSHA P0   |
|                |          | STEL                             | 30,000 ppm<br>54,000 mg/m <sup>3</sup>            | OSHA P0   |
|                |          | PEL                              | 5,000 ppm<br>9,000 mg/m <sup>3</sup>              | CAL PEL   |
|                |          | STEL                             | 30,000 ppm<br>54,000 mg/m <sup>3</sup>            | CAL PEL   |
| heptane        | 142-82-5 | TWA                              | 85 ppm<br>350 mg/m <sup>3</sup>                   | NIOSH REL |
|                |          | C                                | 440 ppm<br>1,800 mg/m <sup>3</sup>                | NIOSH REL |
|                |          | TWA                              | 500 ppm<br>2,000 mg/m <sup>3</sup>                | OSHA Z-1  |
|                |          | TWA                              | 400 ppm                                           | OSHA P0   |

## ZEP BRAKE WASH AERO DZ

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

|             |         |      |                        |           |
|-------------|---------|------|------------------------|-----------|
|             |         |      | 1,600 mg/m3            |           |
|             |         | STEL | 500 ppm<br>2,000 mg/m3 | OSHA P0   |
|             |         | PEL  | 400 ppm<br>1,600 mg/m3 | CAL PEL   |
|             |         | STEL | 500 ppm<br>2,000 mg/m3 | CAL PEL   |
|             |         | TWA  | 400 ppm                | ACGIH     |
|             |         | STEL | 500 ppm                | ACGIH     |
| methanol    | 67-56-1 | TWA  | 200 ppm                | ACGIH     |
|             |         | STEL | 250 ppm                | ACGIH     |
|             |         | TWA  | 200 ppm<br>260 mg/m3   | NIOSH REL |
|             |         | ST   | 250 ppm<br>325 mg/m3   | NIOSH REL |
|             |         | TWA  | 200 ppm<br>260 mg/m3   | OSHA Z-1  |
|             |         | STEL | 250 ppm<br>325 mg/m3   | OSHA P0   |
|             |         | TWA  | 200 ppm<br>260 mg/m3   | OSHA P0   |
|             |         | C    | 1,000 ppm              | CAL PEL   |
|             |         | PEL  | 200 ppm<br>260 mg/m3   | CAL PEL   |
|             |         | STEL | 250 ppm<br>325 mg/m3   | CAL PEL   |
| propan-2-ol | 67-63-0 | TWA  | 200 ppm                | ACGIH     |
|             |         | STEL | 400 ppm                | ACGIH     |
|             |         | TWA  | 400 ppm<br>980 mg/m3   | NIOSH REL |
|             |         | ST   | 500 ppm<br>1,225 mg/m3 | NIOSH REL |
|             |         | TWA  | 400 ppm<br>980 mg/m3   | OSHA Z-1  |
|             |         | TWA  | 400 ppm<br>980 mg/m3   | OSHA P0   |
|             |         | STEL | 500 ppm<br>1,225 mg/m3 | OSHA P0   |
|             |         | PEL  | 400 ppm<br>980 mg/m3   | CAL PEL   |
|             |         | STEL | 500 ppm<br>1,225 mg/m3 | CAL PEL   |

## Biological occupational exposure limits

| Component   | CAS-No. | Control parameters | Biological specimen | Sampling time                                            | Permissible concentration | Basis     |
|-------------|---------|--------------------|---------------------|----------------------------------------------------------|---------------------------|-----------|
| Methanol    | 67-56-1 | Methanol           | Urine               | End of shift (As soon as possible after exposure ceases) | 15 mg/l                   | ACGIH BEI |
| PROPAN-2-OL | 67-63-0 | Acetone            | Urine               | End of shift at                                          | 40 mg/l                   | ACGIH BEI |

**ZEP BRAKE WASH AERO DZ**

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

|  |  |  |  |                    |  |  |
|--|--|--|--|--------------------|--|--|
|  |  |  |  | end of<br>workweek |  |  |
|--|--|--|--|--------------------|--|--|

**Engineering measures** : effective ventilation in all processing areas

**Personal protective equipment**

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material

Remarks

: Protective gloves

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Safety glasses

Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection

: Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aerosol containing a compressed gas

Colour : clear

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : Not applicable

Boiling point : No data available

Flash point :  
Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : 5,515.8 - 6,894.7 hPa

**ZEP BRAKE WASH AERO DZ**

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

|                                        |                     |
|----------------------------------------|---------------------|
| Relative vapour density                | : No data available |
| Density                                | : No data available |
| Solubility(ies)                        |                     |
| Water solubility                       | : No data available |
| Solubility in other solvents           | : not determined    |
| Partition coefficient: n-octanol/water | : No data available |
| Auto-ignition temperature              | : not determined    |
| Thermal decomposition                  | : No data available |
| Viscosity                              |                     |
| Viscosity, kinematic                   | : No data available |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                         | : Stable                                                                                              |
| Chemical stability                 | : Stable under normal conditions.                                                                     |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Strong oxidizing agents                                                                             |
| Hazardous decomposition products   | : Carbon oxides                                                                                       |

---

**SECTION 11. TOXICOLOGICAL INFORMATION****Potential Health Effects**

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Aggravated Medical Condition | : None known.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Symptoms of Overexposure     | : Effects are immediate and delayed.<br>Symptoms may include irritation, redness, pain, and rash.<br>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.<br>Acute specific target organ toxicity effects will differ depending on mode of exposure (oral, dermal, and inhalation), the organs and systems affected, and any preexisting medical conditions. Symptoms may include respiratory difficulty, abdominal pain, headache, dizziness, drowsiness, vomiting, central nervous system depression, blurred vision, seizures, and unconsciousness - potentially life threatening. |

**ZEP BRAKE WASH AERO DZ**

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

Effects are dependent on exposure (dose, concentration, contact time).

**Carcinogenicity:****IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH**

Confirmed animal carcinogen with unknown relevance to humans

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

64-17-5

**Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate : 3,558 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 17.98 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

**Components:****ethanol:**

Acute oral toxicity : LD50 Oral Rat: 7,060 mg/kg

Acute inhalation toxicity : LC50 Rat: 124.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

**heptane:**

Acute inhalation toxicity : LC50 Rat: 103 mg/l  
Exposure time: 4 h

**propan-2-ol:**

Acute oral toxicity : LD50 Oral Rat: 4,396 mg/kg  
Method: Calculation method

**Skin corrosion/irritation****Product:**

Remarks: Irritating to skin.

**ZEP BRAKE WASH AERO DZ**

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

**Serious eye damage/eye irritation****Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

**Respiratory or skin sensitisation**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Aspiration toxicity**

No data available

**Further information****Product:**

Remarks: No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential****Product:**

Partition coefficient: n-octanol/water : Remarks: No data available

**Components:****ethanol :**

Partition coefficient: n-octanol/water : Remarks: No data available

**ZEP BRAKE WASH AERO DZ**

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

**heptane :**Partition coefficient: n- : log Pow: 5  
octanol/water**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Product:****Regulation**

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

**Remarks**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

**Additional ecological information**

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Very toxic to aquatic life., May cause long lasting harmful effects to aquatic life.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods****Waste from residues**: The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.**Contaminated packaging**: Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.**SECTION 14. TRANSPORT INFORMATION**Transportation Regulation: 49 CFR (USA):  
ORM-D, CONSUMER COMMODITYTransportation Regulation: IMDG (Vessel):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantityTransportation Regulation: IATA (Cargo Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

**ZEP BRAKE WASH AERO DZ**

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

Transportation Regulation: IATA (Passenger Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

**SECTION 15. REGULATORY INFORMATION**

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

| Components | CAS-No. | Component RQ<br>(lbs) | Calculated product RQ<br>(lbs) |
|------------|---------|-----------------------|--------------------------------|
| methanol   | 67-56-1 | 5000                  | *                              |

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Gases under pressure  
Skin corrosion or irritation  
Specific target organ toxicity (single or repeated exposure)

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

|          |         |          |
|----------|---------|----------|
| methanol | 67-56-1 | 2.7811 % |
|----------|---------|----------|

**California Prop. 65**

WARNING: This product can expose you to chemicals including methanol, toluene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## ZEP BRAKE WASH AERO DZ

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

The components of this product are reported in the following inventories:

**DSL** All components of this product are on the Canadian DSL  
**TSCA** On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.


**Inventory Acronym and Validity Area Legend:**

TSCA (USA), DSL (Canada), NDSL (Canada)

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA:



#### HMIS III:

|                        |          |
|------------------------|----------|
| <b>HEALTH</b>          | <b>3</b> |
| <b>FLAMMABILITY</b>    | <b>4</b> |
| <b>PHYSICAL HAZARD</b> | <b>3</b> |

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

### OSHA - GHS Label Information:

Hazard pictograms :



Signal word :

**Danger:**

Hazard statements :

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.  
 Causes skin irritation. May cause drowsiness or dizziness. Causes damage to organs.

Precautionary statements :

**Prevention:** Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves.  
**Response:** IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF exposed: Call a POISON CENTER or doctor/ physician. If skin irritation occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.  
**Storage:** Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.  
**Disposal:** Dispose of contents/container in accordance with local regulation.

**ZEP BRAKE WASH AERO DZ**

Version 5.0

Revision Date 08/01/2018

Print Date 09/18/2018

|                |            |
|----------------|------------|
| Version:       | 5.0        |
| Revision Date: | 08/01/2018 |
| Print Date:    | 09/18/2018 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.