

H1BAK1338 NAPA Sil-Glyde Grease 765-1351

=====

Effective Date: 10-19-93

Revision Date: none

NAPA Sil-Glyde Grease 765-1351

Code: AGS

Page: 1

=====

Section 1 - Product and Company Identification

PRODUCT NAME: NAPA Sil-Glyde Grease 765-1351

MANUFACTURER'S NAME:

AGS Company
2651 Hoyt St.
Muskegon Hts. , MI 49444EMERGENCY TELEPHONE NUMBER
(800)255-3924MISCELLANEOUS INFORMATION
(616)733-2101

=====

Section 2 - Hazardous Ingredients

HAZARDOUS INGREDIENT	CAS NO.	WGT. %	TLV
Polypropylene Glycol	25322-69-4	45-60	Not Assigned
Caster Oil	8001-79-4	30-45	Not Assigned
Silicon Dioxide, Amorphous	7631-86-9	5-15	20 mppcf (PEL)
Polydimethylsiloxane	63148-62-9	1-5	Not Assigned
Oleoyl Sarcosine	110-25-8	1-5	Not Assigned

NOTE:

=====

Section 3 - Hazards Identification

EYES: May cause discomfort.

SKIN: May cause discomfort on repeated or prolonged exposure.

INGESTION: May cause nausea, vomiting and/or diarrhea.

INHALATION: None known.

OTHER EFFECTS: Aspiration into lungs may cause chemical pneumonitis.

=====

Section 4 - First Aid Measures

EYES: Flush with water for at least 15 minutes. Get medical attention.

SKIN: Wash with soap and water. If adverse effects occur consult a physician.

INGESTION: Do not induce vomiting, get immediate medical attention.

INHALATION: Remove person to fresh air. Administer oxygen or artificial respiration as required. Consult a physician.

=====

MATERIAL SAFETY DATA SHEET		
Effective Date: 10-19-93		Revision Date: none
	NAPA Sil-Glyde Grease	765-1351
Code: AGS		Page: 2

=====

Section 5 - Firefighting Measures

FLASH POINT : >400F
METHOD : C.O.C.
AUTO IGNITION TEMP: Not Determined

FLAMMABLE LIMITS:

LEL: Not Determined
UEL: Not Determined

EXTINGUISHING MEDIA: Foam, dry chemical and/or carbon dioxide.

SPECIAL PROCEDURES: Wear self-contained breathing apparatus.

UNUSUAL HAZARDS: None known.

=====

Section 6 - Environmental Release Measures

SPILL PROCEDURE: Scrape up and place in an appropriate container. Remove residue with detergent and water.

=====

Section 7 - Handling and Storage

CONDITIONS TO AVOID: Open flame.

=====

Section 8 - Exposure Controls/Personal Protection

VENTILATION REQUIREMENTS: General acceptable

EYES : Yes
GLOVES : No
CLOTHING : No
RESPIRATORY: No

OTHER: Eye wash in area.

=====

MATERIAL SAFETY DATA SHEET		
Effective Date: 10-19-93		Revision Date: none
	NAPA Sil-Glyde Grease	765-1351
Code: AGS		Page: 3

=====

Section 9 - Physical and Chemical Properties

pH SUPPLIED : Not Determined
pH DILUTED : Not Applicable
WATER SOLUBILITY: Insoluble

SPECIFIC GRAVITY: (Water=1) 1.11
MELTING POINT : Not Applicable
BOILING POINT : Not Determined
% VOLATILES : Nil
VAPOR PRESSURE : Nil
VAPOR DENSITY : (Air=1) >1
EVAPORATION RATE: Nil
APPEARANCE : Opaque semi-solid, no odor.

=====
Section 10 - Stability and Reactivity

UNSTABLE AND/OR AUTO REACTIVE: Stable

INCOMPATIBLE MATERIALS: Oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon and silicon.

=====
Section 11 - Toxicological Information

Not available.

=====
Section 12 - Ecological Information

Not available.

=====
Section 13 - Disposal Considerations

DISPOSAL METHOD: Removal by an approved, licensed waste hauler.

EPA WASTE I.D. NO.: Not Reg.

=====
Section 14 - Transport Information

Not available.

=====
Section 15 - Regulatory Information

Not available.

=====
MATERIAL SAFETY DATA SHEET

Effective Date: 10-19-93

Revision Date: none

NAPA Sil-Glyde Grease 765-1351

Code: AGS

Page: 4

=====
Section 16 - Other Information

TRADE NAME : NAPA Sil-Glyde Grease
COMMON NAME : Sil-Glyde
CONTAINER SIZE: Tube, 4 oz.

NFPA: HEALTH : 0
FLAMMABILITY : 0
REACTIVITY : 0
SPECIFIC HAZARD: N/A

HMIS: HEALTH : 0
FLAMMABILITY : 0
REACTIVITY : 0
PROTECTIVE EQUIPMENT: N/A

***The information herein is given in good faith,
no warranty, expressed or implied, is made.***