Revision Date: 10/01/2021

# SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

#### 1. Identification

Product identifier: Service Pro Non-Chlorinated Ultra Quick Dry Brake Cleaner - SP4520

Other means of identification

**SDS number:** RE1000040215

Recommended restrictions
Recommended use: Cleaner
Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: ASSOCIATION OF INDEPENDENT OIL DISTRIBUTORS

Address: 203 W MAIN STREET

MONTROSE, CO 81402-1861

US

Telephone: 800-313-2463

Emergency telephone number: 1-866-836-8855

# 2. Hazard(s) identification

# **Hazard Classification**

Physical Hazards

Flammable aerosol Category 1

**Health Hazards** 

Skin Corrosion/Irritation

Specific Target Organ Toxicity - Category 3
Single Exposure (Narcotic effect.)

Aspiration Hazard Category 1

**Environmental Hazards** 

Acute hazards to the aquatic Category 1

environment

Chronic hazards to the aquatic Category 1

environment

# **Label Elements**

# **Hazard Symbol:**



Signal Word: Danger

Revision Date: 10/01/2021

**Hazard Statement:** Extremely flammable aerosol.

Causes skin irritation.

May cause drowsiness or dizziness.

May be fatal if swallowed and enters airways. Very toxic to aquatic life with long lasting effects.

Precautionary Statements

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area. Avoid release to the

environment.

**Response:** IF INHALED: Remove person to fresh air and keep comfortable for

breathing. IF ON SKIN: Wash with plenty of water If skin irritation occurs: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor Do NOT induce vomiting. Call a POISON CENTER/doctor

if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing. Collect spillage.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

**Disposal:** Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Naphtha (petroleum), hydrotreated light	64742-49-0	50 - <100%
Heptane	142-82-5	25 - <50%
Carbon dioxide	124-38-9	1 - <5%
Cyclohexane, methyl-	108-87-2	1 - <5%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

#### 4. First-aid measures

# Description of necessary first-aid measures

**Inhalation:** Move to fresh air.

**Skin Contact:** Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Wash contaminated

clothing before reuse. Get medical attention.

**Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy

to do, remove contact lenses. Get medical attention.

Revision Date: 10/01/2021

Ingestion: Call a physician or poison control center immediately. Rinse mouth.

Never give liquid to an unconscious person. If vomiting occurs, keep

head low so that stomach content doesn't get into the lungs.

**Personal Protection for First-**

aid Responders:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: Symptoms may be delayed.

5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.

Accidental release measures: Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you

can do so without risk.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

SDS\_US - RE1000040215

Revision Date: 10/01/2021

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so. Avoid release to the environment.

# 7. Handling and storage

#### Handling

Technical measures (e.g. Local and general ventilation):

No data available.

Safe handling advice:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid

contact with skin. Wash hands thoroughly after handling.

Contact avoidance measures:

No data available.

Storage

Safe storage conditions: Store locked up. Pressurized container: protect from sunlight and do not

expose to temperatures exceeding 50°C. Do not pierce or burn, even after

use.Aerosol Level 2

Safe packaging materials: No data available.

**Storage Temperature:** No data available.

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

<b>Chemical Identity</b>	Туре	Exposure Limit Values		Source	
Naphtha (petroleum), hydrotreated light	REL	100 ppm	400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	TWA	100 ppm	400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
	PEL	100 ppm	400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended	
Heptane	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
•	REL	85 ppm	350 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended	
	STEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
	TWA	400 ppm		US. ACGIH Threshold Limit Values, as amended	
	STEL	500 ppm		US. ACGIH Threshold Limit Values, as amended	
	Ceil_ Time	440 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
Carbon dioxide	TWA	5,000 ppm		US. ACGIH Threshold Limit Values, as amended	
	STEL	30,000 ppm		US. ACGIH Threshold Limit Values, as amended	
	STEL	30,000 ppm	54,000 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	REL	5,000 ppm	9,000 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	PEL	5,000 ppm	9,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended	
	TWA	10,000 ppm	18,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
	STEL	30,000 ppm	54,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
Cyclohexane, methyl-	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended	
	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
	TWA	400 ppm	, <u>J</u>	US. ACGIH Threshold Limit Values, as amended	
	REL	400 ppm	1,600 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
Benzene, methyl-	STEL	150 ppm	560 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
· · · · · · · · · · · · · · · · · · ·	REL	100 ppm	375 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended	
	TWA	100 ppm	375 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	

Revision Date: 10/01/2021

	0 - 111	000		110 COULA T-1-1- 7.0 (00 OFD 4040 4000)
	Ceiling	300 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	200 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	MAX.	500 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	CONC			
	STEL	150 ppm	560 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
	T14/4	50	100 / 0	amended
Hexane	TWA	50 ppm	180 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	PEL	500 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	REL	50 ppm	180 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
				amended
	TWA	50 ppm		US. ACGIH Threshold Limit Values, as amended
Cyclohexane	TWA	100 ppm		US. ACGIH Threshold Limit Values, as amended
- Cy c.cc.nac	TWA	300 ppm	1,050 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	REL	300 ppm	1,050 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
	I NEE		1,000 mg/mo	amended
	PEL	300 ppm	1,050 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR
				1910.1000), as amended
Benzene, ethyl-	STEL	125 ppm	545 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
			•	amended
	REL	100 ppm	435 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
			•	amended
	PEL	100 ppm	435 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR
			_	1910.1000), as amended
	STEL	125 ppm	545 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	100 ppm	435 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	20 ppm	-	US. ACGIH Threshold Limit Values, as amended
Benzene	REL	0.1 ppm		US. NIOSH: Pocket Guide to Chemical Hazards, as
				amended
	TWA	1 ppm		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceiling	25 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	TWA	0.5 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	2.5 ppm		US. ACGIH Threshold Limit Values, as amended
	STEL	5 ppm		US. OSHA Specifically Regulated Substances (29 CFR
	0.22	о рр		1910.1001-1053), as amended
	OSHA	0.5 ppm		US. OSHA Specifically Regulated Substances (29 CFR
	_ACT	-10 PP		1910.1001-1053), as amended
	TWA	10 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	MAX.	50 ppm		US. OSHA Table Z-2 (29 CFR 1910.1000), as amended
	CONC	22 PP		25. 25
	STEL	5 ppm		US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	TWA	1 ppm		US. OSHA Specifically Regulated Substances (29 CFR
				1910.1001-1053), as amended
	STEL	1 ppm		US. NIOSH: Pocket Guide to Chemical Hazards, as
		1 ' '		amended

**Biological Limit Values** 

9.0u. =		
Chemical Identity	Exposure Limit Values	Source
Benzene, methyl- (toluene: Sampling time: End of shift.)	0.03 mg/l (Urine)	ACGIH BEL
Benzene, methyl- (o-Cresol, with hydrolysis: Sampling time: End of shift.)	0.3 mg/g (Creatinine in urine)	ACGIH BEL
Benzene, methyl- (toluene: Sampling time: Prior to last shift of work week.)	0.02 mg/l (Blood)	ACGIH BEL
Benzene, ethyl- (Sum of mandelic acid and phenylglyoxylic acid: Sampling	0.15 g/g (Creatinine in urine)	ACGIH BEL
time: End of shift.)		
Hexane (2,5-Hexanedion, without hydrolysis: Sampling time: End of shift.)	0.5 mg/l (Urine)	ACGIH BEL
Benzene (S-Phenylmercapturic acid: Sampling time: End of shift.)	25 μg/g (Creatinine in urine)	ACGIH BEL
Benzene (t,t-Muconic acid: Sampling time: End of shift.)	500 μg/g (Creatinine in urine)	ACGIH BEL

**Exposure guidelines** 

Hexane	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.
Benzene	US. ACGIH Threshold Limit Values, as amended	Can be absorbed through the skin.

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**Skin Protection** 

**Hand Protection:** No data available.

Revision Date: 10/01/2021

**Skin and Body Protection:** Wear suitable protective clothing. Wear chemical-resistant gloves,

footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific

information.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** Observe good industrial hygiene practices. When using do not smoke.

Wash contaminated clothing before reuse. Avoid contact with skin. Wash

hands before breaks and immediately after handling the product.

# 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Form: Spray Aerosol Color: No data available. Odor: No data available. Odor Threshold: No data available. pH: No data available. Freezing point: No data available. **Boiling Point:** Estimated -78.5 °C Flash Point: Estimated -9 °C **Evaporation Rate:** No data available. Flammability (solid, gas): No data available. **Explosive limit - upper (%):** No data available. **Explosive limit - lower (%):** No data available.

**Vapor pressure:** 5,377 - 6,756 hPa (20 °C)

Vapor density (air=1): No data available. Density: No data available. Relative density: No data available. Solubility in Water: No data available. Solubility (other): No data available. Partition coefficient (n-octanol/water): No data available. **Self Ignition Temperature:** No data available. **Decomposition Temperature:** No data available. Kinematic viscosity: No data available. **Dynamic viscosity:** No data available. No data available. **Explosive properties:** Oxidizing properties: No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:** No data available.

Revision Date: 10/01/2021

**Hazardous Decomposition** 

Products:

No data available.

## 11. Toxicological information

## Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral

**Product:** Not classified for acute toxicity based on available data.

**Dermal** 

**Product:** ATEmix: 3,071.64 mg/kg

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Repeated dose toxicity

**Product:** No data available.

Components:

Naphtha (petroleum), NOAEL (Rat(Female, Male), Inhalation): 10,000 mg/m3 Inhalation

hydrotreated light Experimental result, Key study

LOAEL (Rat(Female, Male), Oral, 13 Weeks): 1,250 mg/kg Oral Readacross based on grouping of substances (category approach), Key study

NOAEL (Rat(Female, Male), Dermal, 28 d): > 375 mg/kg Dermal

Experimental result, Supporting study

Heptane NOAEL (Rat(Male), Inhalation): 12,470 mg/m3 Inhalation Experimental

result, Key study

Cyclohexane, methyl- NOAEL (Rat(Female, Male), Inhalation): 1,600 mg/m3 Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Oral, 28 d): 1,000 mg/kg Oral Experimental

result, Key study

NOAEL (Rat(Female, Male), Oral, 28 d): 250 mg/kg Oral Experimental

result, Key study

**Skin Corrosion/Irritation** 

**Product:** No data available.

Revision Date: 10/01/2021

Components:

Naphtha (petroleum), In vitro (Human): not corrosive

hydrotreated light

Heptane in vivo (Rabbit): Irritating Cyclohexane, methylestimated Irritating.

Serious Eye Damage/Eye Irritation

**Product:** No data available.

Components:

Naphtha (petroleum),

hydrotreated light

Rabbit, 24 - 72 hrs: Not irritating

Heptane Rabbit, 24 - 72 hrs: Not irritating

Cyclohexane, methyl- Rabbit, 0.5 - 168 hrs: Not irritating

Respiratory or Skin Sensitization

**Product:** No data available.

Components:

Naphtha (petroleum), Skin sensitization:, in vivo (Guinea pig): Non sensitising

hydrotreated light

Heptane Skin sensitization:, in vivo (Guinea pig): Non sensitising Cyclohexane, methyl-Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

**Product:** No data available.

Components:

Cyclohexane, methyl- May cause cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure** 

**Product:** No data available.

Components:

Heptane Narcotic effect. - Category 3 with narcotic effects.

Cyclohexane, methyl- Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

**Specific Target Organ Toxicity - Repeated Exposure** 

**Product:** No data available.

**Target Organs** 

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

Revision Date: 10/01/2021

**Aspiration Hazard** 

**Product:** No data available.

Components:

Naphtha (petroleum), May be fatal if swallowed and enters airways.

hydrotreated light

Heptane May be fatal if swallowed and enters airways. Cyclohexane, methyl- May be fatal if swallowed and enters airways.

Other effects: No data available.

# 12. Ecological information

# **Ecotoxicity:**

# Acute hazards to the aquatic environment:

Fish

**Product:** No data available.

Components:

Naphtha (petroleum), hydrotreated light

LC 50 (96 h): 8.41 mg/l Experimental result, Key study

Cyclohexane, methyl- LC 50 (Oryzias latipes, 96 h): 2.07 mg/l Experimental result, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

Components:

Naphtha (petroleum), hydrotreated light

EC 50 (Daphnia magna, 48 h): 4.5 mg/l Experimental result, Key study

# Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

Components:

Naphtha (petroleum), hydrotreated light

NOAEL (Daphnia magna): 2.6 mg/l Other, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

Components:

Naphtha (petroleum), hydrotreated light

EC 50 (Daphnia magna): 10 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants** 

**Product:** No data available.

**Persistence and Degradability** 

Biodegradation

**Product:** No data available.

Components:

Naphtha (petroleum), 95 % (10 d) The 10-day window requirement is fulfilled.

hydrotreated light 90.35 % (28 d) Detected in water. Experimental result, Supporting study

Revision Date: 10/01/2021

Cyclohexane, methyl- > 0 % (28 d) Detected in water. Experimental result, Weight of Evidence

study

> 0 % (28 d) Detected in water. Experimental result, Weight of Evidence

study

**BOD/COD Ratio** 

**Product:** No data available.

**Bioaccumulative potential** 

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Components:

Naphtha (petroleum), hydrotreated light

Bioconcentration Factor (BCF): 10 - 2,500 Aguatic sediment Estimated by

calculation, Key study

Cyclohexane, methyl- Cyprinus carpio, Bioconcentration Factor (BCF): > 95 - < 321 Aquatic

sediment Experimental result, Key study

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Components:

Naphtha (petroleum), hydrotreated light

Log Kow: > 2.4 - < 5.7 23 °C Yes Experimental result, Key study

Mobility in soil: No data available.

Components:

Naphtha (petroleum), hydrotreated light
Heptane
Carbon dioxide
Cyclohexane, methylNo data available.
No data available.
No data available.
No data available.

Other adverse effects: Very toxic to aquatic life with long lasting effects.

13. Disposal considerations

**Disposal instructions:** Discharge, treatment, or disposal may be subject to national, state, or local

laws. Do not allow to enter drains, sewers or watercourses.

Contaminated Packaging: No data available.

14. Transport information

**DOT** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1 Label(s): -

EmS No.:

Packing Group: -

Special precautions for user: None known.

Revision Date: 10/01/2021

**IATA** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: -

Special precautions for user: None known.

Other information

Passenger and cargo aircraft: Allowed. 203 Cargo aircraft only: Allowed. 203

**IMDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1 Label(s): -

EmS No.: F-D, S-U

Packing Group: -

Special precautions for user: None known.

The classification shown in this section may be eligible for use of an exception, such as "Limited Quantity", per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

# 15. Regulatory information

# US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

<u>Chemical Identity</u>
Benzene

OSHA hazard(s)
Flammability

Cancer Aspiration

Eye Blood Skin

respiratory tract irritation Central nervous system

#### CERCLA Hazardous Substance List (40 CFR 302.4):

#### **Chemical Identity**

UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY

BENZENE, METHYL-

**HEXANE** 

Hexane

**CYCLOHEXANE** 

BENZENE, HEXAHYDRO-

**ETHYLBENZENE** 

**BENZENE** 

Revision Date: 10/01/2021

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

## **Hazard categories**

Flammable (gases, aerosols, liquids, or solids), Skin Corrosion or Irritation, Specific target organ toxicity (single or repeated exposure), Aspiration Hazard

# US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances

None present or none present in regulated quantities.

# US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

#### **US State Regulations**

#### **US. California Proposition 65**



**WARNING:** This product can expose you to chemicals including, Benzene which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm.

This product can expose you to chemicals including, Benzene, ethyl-which is [are] known to the State of California to cause cancer. This product can expose you to chemicals including, Benzene, methyl-Hexane which is [are] known to the State of California to cause birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov.

# US. New Jersey Worker and Community Right-to-Know Act Chemical Identity

Naphtha (petroleum), hydrotreated light Heptane Carbon dioxide Cyclohexane, methyl-

# **US. Massachusetts RTK - Substance List**

#### **Chemical Identity**

Benzene

# **US. Pennsylvania RTK - Hazardous Substances**

# **Chemical Identity**

Naphtha (petroleum), hydrotreated light Heptane Carbon dioxide Cyclohexane, methyl-

#### **US. Rhode Island RTK**

No ingredient regulated by RI Right-to-Know Law present.

#### International regulations

# **Montreal protocol**

Not applicable

# Stockholm convention

Not applicable

#### **Rotterdam convention**

Not applicable

Revision Date: 10/01/2021

# **Kyoto protocol**

**Inventory Status:** 

Australia AICS On or in compliance with the inventory

Canada DSL Inventory List On or in compliance with the inventory

Canada NDSL Inventory Not in compliance with the inventory.

Ontario Inventory On or in compliance with the inventory

China Inv. Existing Chemical Substances

On or in compliance with the inventory

Japan (ENCS) List On or in compliance with the inventory

Japan ISHL Listing On or in compliance with the inventory

Japan Pharmacopoeia Listing

Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI)

On or in compliance with the inventory

Mexico INSQ On or in compliance with the inventory

New Zealand Inventory of Chemicals

On or in compliance with the inventory

Philippines PICCS On or in compliance with the inventory

Taiwan Chemical Substance Inventory

On or in compliance with the inventory

US TSCA Inventory On or in compliance with the inventory

EINECS, ELINCS or NLP Not in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

**Issue Date:** 10/01/2021

**Revision Information:** No data available.

Version #: 1.0

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS\_US - RE1000040215