

MATERIA SAFETY DATA SHEET
OSHA'S HAZARD COMMUNICATION STANDARD
U.S. DEPARTMENT OF LABOR

29 CFR 1910.1200

OMB NO. 1218-0072

IDENTITY NO: 6505 NAME: **GLARE KNOCK-OUT COMPOUND**
SECTION 1

MANUFACTURE'S NAME: ULTRA 2000 MFG. CO. INC.
ADDRESS: 350 South Center street #500 Reno, Nevada 89501-2161
DATE PREPARED 12-19-2001 CONTACT PERSON: PERRY
STEVENS Tel: (1-866-37-GLARE)

SECTION 2-HAZARDOUS INGREDIENTS/IDENTITY
INFORMATION

HAZARDOUS COMPONENTS	CAS#	OSHA PEL	ACGIH TLV	WEIGHT %
PETROLIEUM DISTALLATES	64741-65-7	100PPM		.5

VOC CONTENT-245.1G/L

SECTION 4- FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: 155 F	FLAMMABLE LIMITS-NOT TESTED
LEL: NOT TESTED	UEL: NOT TESTED
PH: 6.0-9.0	DOT# NONE
NFPA HAZARD RATING- H F R S	
(0-least, 4-EXTREME)	: 2 2 0 0

EXTINGUISHING MEDIA: CO2, DRY FOAM
SPECIAL FIRE FIGHTING PROCDEURES: NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

SECTION 5-REACTIVITY DATA

STABILITY - STABLE

CONDITIONS TO AVOID - NONE

INCOMPATIBLE MATERIALS TO AVOID: OXIDIZERS

HAZARDOUS DECOMPOSITION OR BY PRODUCTS: NONE

HAZARDOUS POLYMERIZATION: NONE

PAGE 2 (CONTINUED FROM PAGE 1)

CONDITIONS TO AVOID: NONE

SECTION 6 - HEALTH HAZARD DATA

ROUTES OF ENTRY

INHALATION? - POSSIBLE

INGESTION? POSSIBLE

HEALTH HAZARDS - SAME AS SIGNS AND SYMPTOMS OF EXPOSURE.

NOTE - ALL CHEMICALS INCORPORATED INTO THIS PRODUCT ARE FOUND ON THE TSCA INVENTORY LIST.

OSHA CARCINOGENICITY? NONE: NTP? - IARC

MONOGRAPHS? - NONE.

SIGNS AND SYMPTOMS OF OVER EXPOSURE

EYES - BURNING IRRITATION:

SKIN: IRRITATION

INGESTION: Toxic

INHALATION: DIZZINESS/HEADACHE

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE - SAME AS SIGNS AND SYMPTOMS OF OVER EXPOSURE.

EMERGENCY AND FIRST AID PROCEDURES

EYES - FLUSH WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, CALL PHYSICIAN.

INGESTION: DO NOT INDUCE VOMITING. WILL CAUSE CHEMICAL PNEUMONIA. CALL PHYSICIAN AT ONCE.

INHALATION: MOVE PERSON TO FRESH AIR. IF UNCONSCIOUS, CONTACT PHYSICIAN.

SECTION 7- PRECAUTIONS FOR SAFE HANDLING AND USE.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED - SOAK UP WITH INERT, ABSORBENT MATERIAL. SCOOP UP AND PLACE IN A PROPER WASTE DISPOSAL CONTAINER..

WASTE DISPOSAL METHOD - DISPOSE OF IN ACCORDANCE WITH STATE AND LOCAL REGULATIONS. PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING - STORE IN A COOL, DRY PLACE OUT OF DIRECT SUNLIGHT. DO NOT FREEZE OR HEAT ABOVE 110 F.

OTHER PRECAUTIONS- KEEP OUT OF REACH OF CHILDREN. FOLLOW DIRECTIONS ON THE CONTAINER FOR PROPER USE OF THIS PRODUCT.

PAGE 3 (CONTINUED FROM PAGE 2)

SECTION 8-CONTROL MEASURES

RESPIRATORY PROTECTION - OPEN ALL DOORS AND WINDOWS.

EXPOSURES ABOVE THE TLV OR PEL REQUIRE A NIOSH APPROVED RESPIRATOR EQUIPPED FOR THE EXPOSURE OF SUITABLE RESPIRATORY PROTECTION PER 29 CFR 1910.134

VENTILATION	LOCAL EXHAUST - IF AVAILABLE
	SPECIAL - NONE
	MECHANICAL - IF AVAILABLE
	OTHER - NONE

PROTECTIVE GLOVES: RUBBER/PLASTIC

EYE PROTECTION: GLAZZES/GOGGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NONE

WORK HYGENIC PRACTICES: USE COMMON SENSE AND CARE AROUND CHEMICALS. NEVER MIX CHEMICALS. CONSULT YOUR SUPERVISOR FOR OTHER PRACTICES. ALL PRACTICES DEPEND ON YOUR SPECIFIC BUSINESS. DIRECTIONS FOR USE ARE NORMALLY FOUND ON LABEL WHICH WILL DICTATE ENGINEERING AND CONTROL MEASURES.

OTHER SPECIAL REQUIREMENTS: NONE